

| Map Unit Symbol | Map Unit Name   | Component Name       | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---|----------------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 1               | AGA VERY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES                 |                      |                     |   |                             |   |                                |                    |              |
|                 |   | AGA                  | 85                  | 54-72                                       | Occasional                  | Very limited                                | Very limited                   | Moderate           | Low          |
| 10              | BOROLIC CALCIORTHIDS, 25 TO 50 PERCENT SLOPES                   |                      |                     |   |                             |   |                                |                    |              |
|                 |   | BOROLIC CALCIORTHIDS | 80                  | > 72  | None                        | Very limited                                | Very limited                   | Moderately slow    | Very high    |
| 11              | BORPARK STONY LOAM, 40 TO 75 PERCENT SLOPES                     |                      |                     |   |                             |   |                                |                    |              |
|                 |   | BORPARK              | 70                  | > 72  | None                        | Very limited                                | Very limited                   | Moderately slow    | Very high    |
| 12              | BUNKWATER VERY FINE SANDY LOAM, 1 TO 8 PERCENT SLOPES           |                      |                     |   |                             |   |                                |                    |              |
|                 |   | BUNKWATER            | 85                  | > 72  | None                        | Not limited                                 | Somewhat limited               | Moderately slow    | High         |
| 13              | CABALLO VERY CHANNERY LOAM, 40 TO 80 PERCENT SLOPES             |                      |                     |   |                             |   |                                |                    |              |
|                 |   | CABALLO              | 85                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | High         |
| 14              | CALLINGS LOAM, 1 TO 10 PERCENT SLOPES                           |                      |                     |   |                             |   |                                |                    |              |
|                 |   | CALLINGS             | 90                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Slow               | Very high    |
| 15              | CAMEO FINE SANDY LOAM, 1 TO 6 PERCENT SLOPES                    |                      |                     |   |                             |   |                                |                    |              |
|                 |   | CAMEO                | 90                  | > 72  | Rare                        | Very limited                                | Very limited                   | Moderately rapid   | Very low     |
| 16              | CASTINO-SKISAMS-WINNEMUCCA LOAMS, 1 TO 10 PERCENT SLOPES, STONY |                      |                     |   |                             |   |                                |                    |              |
|                 |   | CASTINO              | 40                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | High         |
|                 |   | SKISAMS              | 25                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |   | WINNEMUCCA           | 20                  | > 72  | None                        | Somewhat limited                            | Somewhat limited               | Slow               | High         |
| 17              | CATHEDRAL-VEATCH COMPLEX, 25 TO 85 PERCENT SLOPES               |                      |                     |   |                             |   |                                |                    |              |
|                 |   | CATHEDRAL            | 40                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |   | VEATCH               | 40                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | High         |
| 18              | CERRO SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES                    |                      |                     |   |                             |   |                                |                    |              |
|                 |   | CERRO                | 80                  | > 72  | None                        | Somewhat limited                            | Somewhat limited               | Slow               | High         |
| 19              | CERRO SILTY CLAY LOAM, 6 TO 12 PERCENT SLOPES                   |                      |                     |   |                             |   |                                |                    |              |
|                 |   | CERRO                | 70                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Slow               | Very high    |
| 2               | BADLAND   |                      |                     |   |                             |   |                                |                    |              |
|                 |   | BADLAND              | 80                  | > 72  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
| 20              | CERRO SILTY CLAY LOAM, 12 TO 25 PERCENT SLOPES                  |                      |                     |   |                             |   |                                |                    |              |
|                 |   | CERRO                | 80                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |

| Map Unit Symbol | Map Unit Name  | Component Name       | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|--|----------------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 21              | CHIPETA SILTY CLAY LOAM, 3 TO 30 PERCENT SLOPES                      |                      |                     |   |                             |   |                                |                    |              |
|                 |  | CHIPETA              | 85                  | > 72  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
| 22              | CLAPPER VERY STONY LOAM, 12 TO 25 PERCENT SLOPES                     |                      |                     |   |                             |   |                                |                    |              |
|                 |  | CLAPPER              | 85                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | Medium       |
| 23              | CLAPPER VERY STONY LOAM, 25 TO 65 PERCENT SLOPES                     |                      |                     |   |                             |   |                                |                    |              |
|                 |  | CLAPPER              | 85                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | High         |
| 24              | COCHETOPA-CLAYBURN COMPLEX, 12 TO 40 PERCENT SLOPES                  |                      |                     |   |                             |   |                                |                    |              |
|                 |  | COCHETOPA            | 50                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |  | CLAYBURN             | 20                  | > 72  | None                        | Very limited                                | Very limited                   | Moderately slow    | Very high    |
| 25              | COWESTGLEN SANDY LOAM, 1 TO 8 PERCENT SLOPES                         |                      |                     |   |                             |   |                                |                    |              |
|                 |  | COWESTGLEN           | 90                  | > 72  | Rare                        | Very limited                                | Very limited                   | Moderately rapid   | Low          |
| 26              | CRYOCHREPTS-CRYOBOROLLS-RUBBLE LAND COMPLEX, 15 TO 90 PERCENT SLOPES |                      |                     |   |                             |   |                                |                    |              |
|                 |  | CRYOCHREPTS          | 35                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | High         |
|                 |  | CRYOBOROLLS          | 30                  | > 72  | None                        | Very limited                                | Very limited                   | Moderately slow    | Very high    |
|                 |  | RUBBLE LAND          | 25                  | > 72  | None                        | Very limited                                | Very limited                   | Very rapid         | Low          |
| 27              | CRYORTHENTS-ROCK OUTCROP COMPLEX, 50 TO 90 PERCENT SLOPES            |                      |                     |   |                             |   |                                |                    |              |
|                 |  | CRYORTHENTS          | 55                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | High         |
|                 |  | ROCK OUTCROP         | 30                  | > 72  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
| 28              | CUMULIC HAPLOBOROLLS, 1 TO 3 PERCENT SLOPES                          |                      |                     |   |                             |   |                                |                    |              |
|                 |  | CUMULIC HAPLOBOROLLS | 90                  | 54-72                                       | Occasional                  | Very limited                                | Very limited                   | Moderate           | Low          |
| 29              | DEBEQUE VERY CHANNERY LOAM, 5 TO 20 PERCENT SLOPES                   |                      |                     |   |                             |   |                                |                    |              |
|                 |  | DEBEQUE              | 85                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Moderately rapid   | Low          |
| 3               | BARX LOAM, 3 TO 12 PERCENT SLOPES                                    |                      |                     |   |                             |   |                                |                    |              |
|                 |  | BARX                 | 85                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Moderately slow    | High         |
| 30              | DEBEQUE-HESPERUS COMPLEX, 5 TO 25 PERCENT SLOPES                     |                      |                     |   |                             |   |                                |                    |              |
|                 |  | DEBEQUE              | 40                  | > 72  | None                        | Very limited                                | Very limited                   | Moderately rapid   | Low          |
|                 |  | HESPERUS             | 35                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Moderately slow    | High         |
| 31              | DOMINGUEZ CLAY LOAM, 1 TO 3 PERCENT SLOPES                           |                      |                     |   |                             |   |                                |                    |              |
|                 |  | DOMINGUEZ            | 85                  | > 72  | None                        | Very limited                                | Somewhat limited               | Slow               | High         |

| Map Unit Symbol | Map Unit Name   | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 32              | DOMINGUEZ CLAY LOAM, 3 TO 8 PERCENT SLOPES                      |                |                     |   |                             |   |                                |                    |              |
|                 |   | DOMINGUEZ      | 80                  | > 72  | None                        | Very limited                                | Somewhat limited               | Slow               | Very high    |
| 33              | EMMONS-CERRO-PAGODA COMPLEX, 5 TO 30 PERCENT SLOPES, VERY STONY |                |                     |   |                             |   |                                |                    |              |
|                 |   | EMMONS         | 30                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Moderate           | Medium       |
|                 |   | CERRO          | 25                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |   | PAGODA         | 25                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 34              | EMPEDRADO LOAM, 25 TO 45 PERCENT SLOPES                         |                |                     |   |                             |   |                                |                    |              |
|                 |   | EMPEDRADO      | 80                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | High         |
| 35              | EMPEDRADO-PAGODA-GODDING COMPLEX, 6 TO 25 PERCENT SLOPES, STONY |                |                     |   |                             |   |                                |                    |              |
|                 |   | EMPEDRADO      | 35                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | Medium       |
|                 |   | PAGODA         | 30                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |   | GODDING        | 25                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 36              | FLUVAQUENTS, 0 TO 3 PERCENT SLOPES                              |                |                     |   |                             |   |                                |                    |              |
|                 |   | FLUVAQUENTS    | 80                  | 27-72                                       | Occasional                  | Very limited                                | Very limited                   | Moderate           | Low          |
| 37              | FUGHES CLAY LOAM, 2 TO 6 PERCENT SLOPES                         |                |                     |   |                             |   |                                |                    |              |
|                 |   | FUGHES         | 90                  | > 72  | None                        | Very limited                                | Somewhat limited               | Slow               | High         |
| 38              | FUGHES CLAY LOAM, 3 TO 9 PERCENT SLOPES, STONY                  |                |                     |   |                             |   |                                |                    |              |
|                 |   | FUGHES         | 90                  | > 72  | None                        | Very limited                                | Somewhat limited               | Slow               | Very high    |
| 39              | FUGHES-HESPERUS COMPLEX, 3 TO 12 PERCENT SLOPES                 |                |                     |   |                             |   |                                |                    |              |
|                 |   | FUGHES         | 60                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |   | HESPERUS       | 25                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Moderately slow    | High         |
| 4               | BARX-CLAPPER COMPLEX, 3 TO 12 PERCENT SLOPES                    |                |                     |   |                             |   |                                |                    |              |
|                 |   | BARX           | 60                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Moderately slow    | High         |
|                 |   | CLAPPER        | 25                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Moderate           | Medium       |
| 40              | GODDING STONY LOAM, 9 TO 25 PERCENT SLOPES, EXTREMELY BOULDERY  |                |                     |   |                             |   |                                |                    |              |
|                 |   | GODDING        | 75                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 41              | GOLIME COBBLY LOAM, 5 TO 15 PERCENT SLOPES, VERY BOULDERY       |                |                     |   |                             |   |                                |                    |              |
|                 |   | GOLIME         | 80                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |

| Map Unit Symbol | Map Unit Name   | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 42              | GROBUTTE VERY CHANNERY LOAM, 30 TO 60 PERCENT SLOPES              |                |                     |   |                             |   |                                |                    |              |
|                 |   | GROBUTTE       | 90                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | High         |
| 43              | HAPLOBOROLLS-ROCK OUTCROP COMPLEX, 50 TO 80 PERCENT SLOPES        |                |                     |   |                             |   |                                |                    |              |
|                 |   | HAPLOBOROLLS   | 60                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | High         |
|                 |   | ROCK OUTCROP   | 30                  | > 72  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
| 44              | HAPPLE VERY CHANNERY SANDY LOAM, 3 TO 12 PERCENT SLOPES           |                |                     |   |                             |   |                                |                    |              |
|                 |   | HAPPLE         | 80                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Moderate           | Medium       |
| 45              | HAPPLE VERY CHANNERY SANDY LOAM, 12 TO 25 PERCENT SLOPES          |                |                     |   |                             |   |                                |                    |              |
|                 |   | HAPPLE         | 80                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | Medium       |
| 46              | HAPPLE-ROCK OUTCROP ASSOCIATION, 25 TO 65 PERCENT SLOPES          |                |                     |   |                             |   |                                |                    |              |
|                 |   | HAPPLE         | 50                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | High         |
|                 |   | ROCK OUTCROP   | 35                  | > 72  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
| 47              | HESPERUS-EMPEDRADO, MOIST-PAGODA COMPLEX 5 TO 35 PERCENT SLOPES   |                |                     |   |                             |   |                                |                    |              |
|                 |   | HESPERUS       | 35                  | > 72  | None                        | Very limited                                | Very limited                   | Moderately slow    | Very high    |
|                 |   | EMPEDRADO      | 30                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | High         |
|                 |   | PAGODA         | 20                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 48              | HESPERUS-EMPEDRADO, MOIST-PAGODA COMPLEX, 35 TO 55 PERCENT SLOPES |                |                     |   |                             |   |                                |                    |              |
|                 |   | HESPERUS       | 35                  | > 72  | None                        | Very limited                                | Very limited                   | Moderately slow    | Very high    |
|                 |   | EMPEDRADO      | 30                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | High         |
|                 |   | PAGODA         | 20                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 49              | HESPERUS-PAGODA COMPLEX, 3 TO 12 PERCENT SLOPES                   |                |                     |   |                             |   |                                |                    |              |
|                 |   | HESPERUS       | 45                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Moderately slow    | High         |
|                 |   | PAGODA         | 40                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Slow               | Very high    |
| 5               | BATTLEMENT LOAM, 1 TO 8 PERCENT SLOPES                            |                |                     |   |                             |   |                                |                    |              |
|                 |   | BATTLEMENT     | 90                  | > 72  | Rare                        | Very limited                                | Very limited                   | Moderate           | Medium       |
| 50              | IRIGUL-STARMAN CHANNERY LOAMS, 5 TO 35 PERCENT SLOPES             |                |                     |   |                             |   |                                |                    |              |
|                 |   | IRIGUL         | 40                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |   | STARMAN        | 30                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |

| Map Unit Symbol | Map Unit Name   | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 51              | MESA-AVALON COMPLEX, 3 TO 12 PERCENT SLOPES                 |                |                     |   |                             |   |                                |                    |              |
|                 |   | MESA           | 50                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Slow               | Very high    |
|                 |   | AVALON         | 35                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Moderate           | Medium       |
| 52              | NORTHWATER-ADEL COMPLEX, 5 TO 50 PERCENT SLOPES             |                |                     |   |                             |   |                                |                    |              |
|                 |   | NORTHWATER     | 50                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | Medium       |
|                 |   | ADEL           | 40                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | High         |
| 53              | PAGODA-HESPERUS COMPLEX, 12 TO 40 PERCENT SLOPES            |                |                     |   |                             |   |                                |                    |              |
|                 |   | PAGODA         | 50                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |   | HESPERUS       | 20                  | > 72  | None                        | Very limited                                | Very limited                   | Moderately slow    | Very high    |
| 54              | PANITCHEN LOAM, 1 TO 6 PERCENT SLOPES                       |                |                     |   |                             |   |                                |                    |              |
|                 |   | PANITCHEN      | 85                  | > 72  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Medium       |
| 55              | PARACHUTE-IRIGUL COMPLEX, 5 TO 30 PERCENT SLOPES            |                |                     |   |                             |   |                                |                    |              |
|                 |   | PARACHUTE      | 60                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | High         |
|                 |   | IRIGUL         | 30                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 56              | PARACHUTE-IRIGUL-RHONE ASSOCIATION, 25 TO 50 PERCENT SLOPES |                |                     |   |                             |   |                                |                    |              |
|                 |   | PARACHUTE      | 35                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | High         |
|                 |   | IRIGUL         | 30                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |   | RHONE          | 20                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | High         |
| 57              | PARACHUTE-RHONE LOAMS, 5 TO 30 PERCENT SLOPES               |                |                     |   |                             |   |                                |                    |              |
|                 |   | PARACHUTE      | 55                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | High         |
|                 |   | RHONE          | 35                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Medium       |
| 58              | PENINSULA LOAM, 3 TO 9 PERCENT SLOPES                       |                |                     |   |                             |   |                                |                    |              |
|                 |   | PENINSULA      | 80                  | > 72  | None                        | Not limited                                 | Somewhat limited               | Moderately slow    | High         |
| 59              | PERSAYO SILTY CLAY LOAM, 3 TO 25 PERCENT SLOPES             |                |                     |   |                             |   |                                |                    |              |
|                 |   | PERSAYO        | 85                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 6               | BATTLEMENT LOAM, SALINE, 1 TO 8 PERCENT SLOPES              |                |                     |   |                             |   |                                |                    |              |
|                 |   | BATTLEMENT     | 90                  | > 72  | Rare                        | Very limited                                | Somewhat limited               | Moderate           | Medium       |

| Map Unit Symbol | Map Unit Name   | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 60              | REDCREEK-RENTSAC COMPLEX, 5 TO 40 PERCENT SLOPES                  |                |                     |   |                             |   |                                |                    |              |
|                 |   | REDCREEK       | 60                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |   | RENTSAC        | 30                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 61              | ROCK OUTCROP-TORRIORTHENTS COMPLEX, 15 TO 90 PERCENT SLOPES       |                |                     |   |                             |   |                                |                    |              |
|                 |   | ROCK OUTCROP   | 65                  | > 72  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
|                 |   | TORRIORTHENTS  | 30                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | High         |
| 62              | SHAWA LOAM, 3 TO 20 PERCENT SLOPES                                |                |                     |   |                             |   |                                |                    |              |
|                 |   | SHAWA          | 85                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Moderate           | Medium       |
| 63              | SILAS LOAM, 1 TO 12 PERCENT SLOPES                                |                |                     |   |                             |   |                                |                    |              |
|                 |   | SILAS          | 85                  | 57-72                                       | Rare                        | Very limited                                | Very limited                   | Moderately slow    | High         |
| 64              | TORRIFLUENTS-GULLIED LAND COMPLEX, 0 TO 2 PERCENT SLOPES          |                |                     |   |                             |   |                                |                    |              |
|                 |   | GULLIED LAND   | 40                  | > 72  | Occasional                  | Very limited                                | Very limited                   | Very slow          | Very high    |
|                 |   | TORRIFLUENTS   | 40                  | > 72  | Occasional                  | Very limited                                | Very limited                   | Moderately rapid   | Very low     |
| 65              | TORRIORTHENTS, COOL-ROCK OUTCROP COMPLEX, 35 TO 90 PERCENT SLOPES |                |                     |   |                             |   |                                |                    |              |
|                 |   | TORRIORTHENTS  | 50                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | High         |
|                 |   | ROCK OUTCROP   | 40                  | > 72  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
| 66              | TORRIORTHENTS, WARM-ROCK OUTCROP COMPLEX, 35 TO 90 PERCENT SLOPES |                |                     |   |                             |   |                                |                    |              |
|                 |   | TORRIORTHENTS  | 50                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | High         |
|                 |   | ROCK OUTCROP   | 40                  | > 72  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
| 67              | TOSCA CHANNERY LOAM, 25 TO 80 PERCENT SLOPES                      |                |                     |   |                             |   |                                |                    |              |
|                 |   | TOSCA          | 80                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | High         |
| 68              | TRAIL LOAMY SAND, 1 TO 5 PERCENT SLOPES                           |                |                     |   |                             |   |                                |                    |              |
|                 |   | TRAIL          | 90                  | > 72  | Rare                        | Very limited                                | Very limited                   | Rapid              | Negligible   |
| 69              | TRAVESSILLA-ROCK OUTCROP COMPLEX, 10 TO 35 PERCENT SLOPES         |                |                     |   |                             |   |                                |                    |              |
|                 |   | TRAVESSILLA    | 45                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |   | ROCK OUTCROP   | 40                  | > 72  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
| 7               | BIEDSAW-SUNUP GRAVELLY LOAMS, 10 TO 40 PERCENT SLOPES             |                |                     |   |                             |   |                                |                    |              |
|                 |   | BIEDSAW        | 45                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |   | SUNUP          | 25                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |

| Map Unit Symbol | Map Unit Name   | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 70              | UFFENS LOAM, 1 TO 8 PERCENT SLOPES                                  |                |                     |   |                             |   |                                |                    |              |
|                 |   | UFFENS         | 85                  | > 72  | None                        | Not limited                                 | Somewhat limited               | Moderately slow    | High         |
| 71              | UTSO-ROCK OUTCROP COMPLEX, 40 TO 90 PERCENT SLOPES                  |                |                     |   |                             |   |                                |                    |              |
|                 |   | UTSO           | 60                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | High         |
|                 |   | ROCK OUTCROP   | 25                  | > 72  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
| 72              | WESDY STONY LOAM, 9 TO 25 PERCENT SLOPES, VERY BOULDERY             |                |                     |   |                             |   |                                |                    |              |
|                 |   | WESDY          | 70                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 73              | WESDY-NORTHWATER COMPLEX, 25 TO 65 PERCENT SLOPES, VERY BOULDERY    |                |                     |   |                             |   |                                |                    |              |
|                 |   | WESDY          | 45                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |   | NORTHWATER     | 40                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | Medium       |
| 74              | WINNEMUCCA-CASTINO LOAMS, 1 TO 10 PERCENT SLOPES, STONY             |                |                     |   |                             |   |                                |                    |              |
|                 |   | WINNEMUCCA     | 60                  | > 72  | None                        | Somewhat limited                            | Somewhat limited               | Slow               | High         |
|                 |   | CASTINO        | 30                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | High         |
| 75              | WRAYHA-RABBITEY-VEATCH COMPLEX, 45 TO 65 PERCENT SLOPES, VERY STONY |                |                     |   |                             |   |                                |                    |              |
|                 |   | WRAYHA         | 35                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |   | RABBITEY       | 20                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | High         |
|                 |   | VEATCH         | 20                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | High         |
| 76              | WRAYHA-VEATCH-RABBITEY COMPLEX, 12 TO 45 PERCENT SLOPES             |                |                     |   |                             |   |                                |                    |              |
|                 |   | WRAYHA         | 45                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |   | VEATCH         | 25                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | High         |
|                 |   | RABBITEY       | 20                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | High         |
| 77              | YAMO, MOIST-REDCREEK COMPLEX, 3 TO 25 PERCENT SLOPES                |                |                     |   |                             |   |                                |                    |              |
|                 |   | YAMO           | 55                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Moderate           | Medium       |
|                 |   | REDCREEK       | 35                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 78              | YOUNGSTON LOAM, 1 TO 6 PERCENT SLOPES                               |                |                     |   |                             |   |                                |                    |              |
|                 |   | YOUNGSTON      | 90                  | > 72  | None                        | Not limited                                 | Somewhat limited               | Moderately slow    | Medium       |
| 79              | WATER   |                |                     |   |                             |   |                                |                    |              |
|                 |   | WATER          | 100                 | > 72  | Not Rated                   | Very limited                                | Very limited                   | NA                 | Not Rated    |

| Map Unit Symbol | Map Unit Name  | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|--|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 8               | BILLINGS SILTY CLAY LOAM, 1 TO 6 PERCENT SLOPES      |                |                     |   |                             |   |                                |                    |              |
|                 |  | BILLINGS       | 90                  | > 72  | None                        | Somewhat limited                            | Somewhat limited               | Slow               | High         |
| 9               | BOOKCLIFF-UTSO, COOL COMPLEX, 3 TO 25 PERCENT SLOPES |                |                     |   |                             |   |                                |                    |              |
|                 |  | BOOKCLIFF      | 45                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Moderately slow    | High         |
|                 |  | UTSO           | 40                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Slow               | Medium       |